antibodies - online.com







anti-C50RF34 antibody (AA 1-100)



()	11/0	K\ /	iew
	\cup	'I V/I	$I \cap VV$

Quantity:	100 μL
Target:	C5ORF34
Binding Specificity:	AA 1-100
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This C50RF34 antibody is un-conjugated
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Western Blotting (WB), Immunohistochemistry (Frozen Sections) (IHC (fro)), ELISA, Immunocytochemistry (ICC)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human C5orf34
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Dog,Pig,Horse
Purification:	Purified by Protein A.

Target Details

Target:	C50RF34		
---------	---------	--	--

Target Details		
Alternative Name:	C5orf34 (C5ORF34 Products)	
Background:	Synonyms: C5orf34, CE034_HUMAN, FLJ32363, Uncharacterized protein C5orf34.	
	Background: C5orf34 is a With 181 million base pairs encoding around 1,000 genes,	
	chromosome 5 is about 6 % of human genomic DNA. It is associated with Cockayne syndrome	
	through the ERCC8 gene and familial adenomatous polyposis through the adenomatous	
	polyposis coli (APC) tumor suppressor gene. Treacher Collins syndrome is also chromosome 5	
	associated and is caused by insertions or deletions within the TCOF1 gene. Deletion of the p	
	arm of chromosome 5 leads to Cri du chat syndrome. Deletion of 5q or chromosome 5	
	altogether is common in therapy-related acute myelogenous leukemias and myelodysplastic	
	syndrome. The C5orf34 gene product has been provisionally designated C5orf34 pending	
	further characterization.	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

		1.	
\vdash	land	ling	
1 1	ıaııu	11111	٠

Expiry Date:

12 months