antibodies -online.com







Go to Product page

0	1 /	-	r.	/1	01	A /
	1//	\vdash	I \	/ I	-	\/\/

Quantity:	100 μL
Target:	C9orf6 (FAM206A)
Binding Specificity:	AA 1-100
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This C9orf6 antibody is un-conjugated
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human C9orf6
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Dog,Cow,Sheep,Pig,Horse
Purification:	Purified by Protein A.

Target Details

|--|

Target Details

Alternative Name:	C9orf6 (FAM206A Products)
Background:	Synonyms: CG 8, CG8, FLJ20457, Hypothetical protein LOC54942, UPF0436 protein C9orf6,
	F206A_HUMAN.
	Background: Chromosome 9 consists of about 145 million bases and 4 % of the human
	genome and encodes nearly 900 genes. Considered to play a role in gender determination,
	deletion of the distal portion of 9p can lead to development of male to female sex reversal, the
	phenotype of a female with a male X,Y genotype. Hereditary hemorrhagic telangiectasia, which
	is characterized by harmful vascular defects, is associated with the chromosome 9 gene
	encoding endoglin protein, ENG. Familial dysautonomia is also associated with chromosome
	though through the gene IKBKAP. Notably, chromosome 9 encompasses the largest interferor
	family gene cluster. Chromosome 9 is partnered with chromosome 22 in the translocation
	leading to the aberrant production of BCR-ABL fusion protein often found in leukemias. The
	C9orf6 gene product has been provisionally designated C9orf6 pending further
	characterization.
Gene ID:	54942
Application Details	
Application Notes:	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
	ICC 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be

Handling

	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months