

[Go to Product page](#)

Datasheet for ABIN1714766
anti-FNDC4 antibody (AA 101-200)

Overview

Quantity:	100 µL
Target:	FNDC4
Binding Specificity:	AA 101-200
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FNDC4 antibody is un-conjugated
Application:	ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human FNDC4
Isotype:	IgG
Predicted Reactivity:	Human, Mouse, Rat, Dog, Cow, Sheep, Pig, Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	FNDC4
Alternative Name:	FNDC4 (FNDC4 Products)

Target Details

Background:	<p>Synonyms: Fibronectin type III domain containing 4, Fibronectin type III domain containing protein 4, Fibronectin type III domain-containing protein 4, Fibronectin type III repeat containing protein 1, Fibronectin type III repeat-containing protein 1, FLJ22362, FNDC 4, FNDC4, FNDC4_HUMAN, FRCP 1, FRCP1.</p> <p>Background: Fibronectins are multi-domain glycoproteins that bind to a variety of substances including collagen, actin, heparin, DNA, fibrin and fibronectin receptors. They are involved in a diverse array of important functions such as blood coagulation, wound healing, cell adhesion, cell differentiation and migration. FNDC4 (Fibronectin type III domain-containing protein 4), also known as FRCP1 (Fibronectin type III repeat-containing protein 1), is a 234 amino acid membrane protein that contains one fibronectin type-III domain, which serves as a binding site for DNA, heparin or the cell surface. The gene encoding FNDC4 is localized to human chromosome two, which houses over 1,400 genes and comprises nearly 8 % of the human genome.</p>
-------------	--

Gene ID:	64838
----------	-------

Application Details

Application Notes:	ELISA 1:500-1000 IHC-P 1:200-400 IHC-F 1:100-500 IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200 ICC 1:100-500
--------------------	---

Restrictions:	For Research Use only
---------------	-----------------------

Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Handling

Storage:	4 °C,-20 °C
----------	-------------

Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
------------------	---

Expiry Date:	12 months
--------------	-----------