

Datasheet for ABIN1714803
anti-GGN antibody (AA 5-100)[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	GGN
Binding Specificity:	AA 5-100
Reactivity:	Human, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GGN antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunocytochemistry (ICC), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human GGN/Gametogenetin
Isotype:	IgG
Cross-Reactivity:	Human, Rat
Predicted Reactivity:	Mouse,Dog,Cow,Sheep,Pig
Purification:	Purified by Protein A.

Target Details

Target:	GGN
---------	-----

Target Details

Alternative Name:	Gametogenetin (GGN Products)
Background:	<p>Synonyms: FLJ35713, Gametogenetin, MGC33369, GGN_HUMAN, GGN</p> <p>Background: Gametogenetin is a 652 amino acid protein that is primarily expressed in testis and ovary. Interacting with POG (proliferation of germ cells), GGNBP1 and LCRG1, gametogenetin is likely involved in spermatogenesis. Gametogenetin exists as three alternatively spliced isoforms commonly known as gametogenetin protein 1 (GGN1), gametogenetin protein 2 (GGN2) and gametogenetin protein 3 (GGN3), which localize to nuclear membrane, cytoplasm and nucleus/nucleoli, respectively. GGN1 contains two transmembrane domains in its N-terminal half and 2 C-terminal arginine- and lysine-rich nucleolar targeting sequences. GGN1 and GGN3 are likely linked to germ cell development and both GGN1 and GGN2 may be involved in cell trafficking.</p>
Gene ID:	199720

Application Details

Application Notes:	<p>WB 1:300-5000</p> <p>ELISA 1:500-1000</p> <p>IHC-P 1:200-400</p> <p>IHC-F 1:100-500</p> <p>IF(IHC-P) 1:50-200</p> <p>IF(IHC-F) 1:50-200</p> <p>IF(ICC) 1:50-200</p> <p>ICC 1:100-500</p>
Restrictions:	For Research Use only

Handling


Format:	Liquid
Concentration:	1 µg/µL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C

Handling

Storage Comment: Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Expiry Date: 12 months

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Formalin-fixed and paraffin embedded rat testis labeled with Rabbit Anti-GGN/Gametogenetin Polyclonal Antibody, Unconjugated (ABIN1714803) at 1:200 followed by conjugation to the secondary antibody and DAB staining