

Datasheet for ABIN1714910

anti-FABP4 antibody (pTyr20)



()	V		rV	ĺ	9	V	V
'	\mathcal{I}	٧V	<u> </u>	v	1	$\overline{}$	٧	٧

Quantity:	100 μL
Target:	FABP4
Binding Specificity:	pTyr20
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FABP4 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunocytochemistry (ICC), Immunofluorescence (Cultured
	Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)),
	Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry
	(Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic phosphopeptide derived from human FABP4 around the phosphorylation site of Tyr20
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Sheep,Pig,Rabbit
Purification:	Purified by Protein A.

Target Details

Target: FABP4

Target Details

Alternative Name:	FABP4 (FABP4 Products)
Background:	Synonyms: FABP4 phospho Y20, FABP4 phospho Tyr20, p-FABP4 Y20, p-FABP4 Tyr20,
	adipocyte, 3T3-L1 lipid-binding protein, 422/aP2, A FABP, A-FABP, Adipocyte lipid binding
	protein, Adipocyte lipid-binding protein, Adipocyte protein AP2, Adipocyte-type fatty acid-binding
	protein, AFABP, ALBPv ALBP/Ap2, aP2, FABP, FABP4, FABP4_HUMAN, Fatty acid binding
	protein 4 adipocyte, Fatty acid binding protein 4, Fatty acid binding protein adipocyte, Fatty
	acid-binding protein 4, Fatty acid-binding protein, Lbpl, Myelin P2 protein homolog, P15v P2
	adipocyte protein, Protein 422.
	Background: FABP4 encodes the fatty acid binding protein found in adipocytes. Fatty acid
	binding proteins are a family of small, highly conserved, cytoplasmic proteins that bind long-
	chain fatty acids and other hydrophobic ligands. It is thought that FABPs roles include fatty acid
	uptake, transport, and metabolism. [provided by RefSeq].
Gene ID:	2167
Pathways:	Brown Fat Cell Differentiation
Application Details	
Application Notes:	WB 1:300-5000
	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
	ICC 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be

Handling

	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months