antibodies .- online.com







anti-CASP14 antibody (AA 155-242)



Image



\sim				
	$ V \cap$	r\/I	19	٨

Quantity:	100 μL
Target:	CASP14
Binding Specificity:	AA 155-242
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CASP14 antibody is un-conjugated
Application:	ELISA, Immunocytochemistry (ICC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Caspase 14
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Pig,Guinea Pig
Purification:	Purified by Protein A.

Target Details

Target: CASP14

Target Details

Alternative Name:	Caspase 14 (CASP14 Products)	
Background:	Synonyms: Caspase-14, CASP-14, CASP14	
	Background: Non-apoptotic caspase involved in epidermal differentiation. Is the predominant	
	caspase in epidermal stratum corneum (PubMed:15556625). Seems to play a role in	
	keratinocyte differentiation and is required for cornification. Regulates maturation of the	
	epidermis by proteolytically processing filaggrin (By similarity). In vitro has a preference for the	
	substate [WY]-X-X-D motif and is active on the synthetic caspase substrate WEHD-ACF	
	(PubMed:16854378, PubMed:19960512). Involved in processing of prosaposin in the epidermis	
	(By similarity). May be involved in retinal pigment epithelium cell barrier function	
	(PubMed:25121097). Involved in DNA degradation in differentiated keratinocytes probably by	
	cleaving DFFA/ICAD leading to liberation of DFFB/CAD (PubMed:24743736).	
Gene ID:	23581	
UniProt:	P31944	
Application Details		

Application Notes:	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
	ICC 1:100-500
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C

Handling

Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months

Images



Immunohistochemistry

Image 1. Formalin-fixed and paraffin embedded human lung carcinoma labeled with Anti-Caspase 14 Polyclonal Antibody, Unconjugated (ABIN1714934) at 1:200 followed by conjugation to the secondary antibody and DAB staining