.-online.com antibodies

Datasheet for ABIN1714938 anti-ABCF2 antibody (AA 301-400)



Overview

Quantity:	100 µL
Target:	ABCF2
Binding Specificity:	AA 301-400
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ABCF2 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunocytochemistry (ICC), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human ABCF2
lsotype:	lgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Pig
Purification:	Purified by Protein A.
Target Details	

Target:

ABCF2

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN1714938 | 03/08/2024 | Copyright antibodies-online. All rights reserved.

Alternative Name:	ABCF2 (ABCF2 Products)
Background:	Synonyms: 0710005005Rik, ABC28, ABCF 2, ATP binding cassette sub family F GCN20
	member 2, DKFZp586K1823, Drr3, E430001006, EST133090, fb04f06, fc74f03, fd58d07,
	HUSSY 18, MABC1, MGC128735, ABCF2_HUMAN.
	Background: ATP-binding cassette (ABC) transporters are an evolutionarily conserved family of
	widely-expressed proteins that use ATP hydrolysis to catalyze the transport of various
	molecules across extracellular and intracellular membranes. As the largest family of
	transmembrane proteins, ABC genes comprise several subfamilies. Eukaryotic ABC
	transporters are largely responsible for trafficking hydrophobic compounds either within the
	cell, as part of a metabolic process, or outside the cell, for transport to other organs or for
	secretion from the body. ABCF2 in particular plays a putative role in tumor suppression at
	metastatic sites and in the endocrine pathway for breast cancer and may be a prognostic
	marker for clear cell ovarian adenocarcinoma.
Gene ID:	10061
Application Details	
Application Notes:	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
	ICC 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 µg/µL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN1714938 | 03/08/2024 | Copyright antibodies-online. All rights reserved.

Handling	
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months