# antibodies -online.com





Datasheet for ABIN1714987

## anti-C9ORF85 antibody (AA 1-100)



( )	1/0	r\ /1	014	
( )	ve	I V I	-v	V

Quantity:	100 μL
Target:	C9ORF85
Binding Specificity:	AA 1-100
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This C90RF85 antibody is un-conjugated
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC)

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human C9orf85
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Cow,Sheep,Pig,Horse
Purification:	Purified by Protein A.

### Target Details

### **Target Details**

Alternative Name:	C9orf85 (C9ORF85 Products)	
Background:	Synonyms: C9orf85, Chromosome 9 open reading frame 85, Cl085_HUMAN, Hypothetical	
	protein LOC138241, MGC61599, OTTHUMP00000021459, OTTHUMP00000021460,	
	Uncharacterized protein C9orf85.	
	Background: Chromosome 9 consists of about 145 million bases and 4 % of the human	
	genome and encodes nearly 900 genes. Considered to play a role in gender determination,	
	deletion of the distal portion of 9p can lead to development of male to female sex reversal, the	
	phenotype of a female with a male X,Y genotype. Hereditary hemorrhagic telangiectasia, which	
	is characterized by harmful vascular defects, is associated with the chromosome 9 gene	
	encoding endoglin protein, ENG. Familial dysautonomia is also associated with chromosome 9	
	though through the gene IKBKAP. Notably, chromosome 9 encompasses the largest interferon	
	family gene cluster. Chromosome 9 is partnered with chromosome 22 in the translocation	
	leading to the aberrant production of BCR-ABL fusion protein often found in leukemias. The	
	C9orf85 gene product has been provisionally designated C9orf85 pending further	
	characterization. There are three isoforms of C9orf85 that are produced as a result of	
	alternative splicing events.	
Gene ID:	66206	
UniProt:	Q96MD7	
Application Details		
Application Notes:	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
9		
Format:	Liquid	
	Liquid 1 μg/μL	

### Handling

Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months