

[Go to Product page](#)

## Datasheet for ABIN1715011 **anti-GNAI1 antibody (AA 21-120)**

### Overview

Quantity:	100 µL
Target:	GNAI1
Binding Specificity:	AA 21-120
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GNAI1 antibody is un-conjugated
Application:	ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)

### Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human G protein alpha inhibitor 1
Isotype:	IgG
Predicted Reactivity:	Human, Mouse, Rat, Cow, Sheep, Pig, Zebrafish
Purification:	Purified by Protein A.

### Target Details

Target:	GNAI1
Alternative Name:	G protein alpha inhibitor 1 ( <a href="#">GNAI1 Products</a> )

## Target Details

Background:	<p>Synonyms: Adenylate cyclase inhibiting G alpha protein, Adenylate cyclase inhibitory protein, Adenylate cyclase-inhibiting G alpha protein, G protein alpha inhibiting 1, G protein alpha inhibiting activity polypeptide 1, Gi, Gi inhibitory G protein, Gi1 protein alpha subunit, GNAI 1, GNAI1, GNAI1_HUMAN, Guanine nucleotide binding protein G protein alpha inhibiting activity polypeptide 1, Guanine nucleotide binding protein alpha inhibiting activity polypeptide 1, Guanine nucleotide binding protein Gi alpha 1 subunit, Guanine nucleotide-binding protein Gi subunit alpha-1, OTTHUMP00000161319, OTTHUMP00000208047.</p> <p>Background: Guanine nucleotide-binding proteins (G proteins) are involved as modulators or transducers in various transmembrane signaling systems. The G(i) proteins are involved in hormonal regulation of adenylate cyclase: they inhibit the cyclase in response to beta-adrenergic stimuli. The inactive GDP-bound form prevents the association of RGS14 with centrosomes and is required for the translocation of RGS14 from the cytoplasm to the plasma membrane. May play a role in cell division.</p>
Gene ID:	2770
Pathways:	<a href="#">G-protein mediated Events</a>

## Application Details

Application Notes:	<p>ELISA 1:500-1000</p> <p>IHC-P 1:200-400</p> <p>IHC-F 1:100-500</p> <p>IF(IHC-P) 1:50-200</p> <p>IF(IHC-F) 1:50-200</p> <p>IF(ICC) 1:50-200</p> <p>ICC 1:100-500</p>
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be

## Handling

---

handled by trained staff only.

---

Storage: 4 °C,-20 °C

---

Storage Comment: Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

---

Expiry Date: 12 months