# antibodies - online.com







# anti-G Protein-Coupled Receptor 128 antibody



$\sim$					
	1/6	⊃r	\/I	$\triangle$	٨/

Quantity:	100 μL	
Target:	G Protein-Coupled Receptor 128 (GPR128)	
Reactivity:	Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This G Protein-Coupled Receptor 128 antibody is un-conjugated	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)	

#### **Product Details**

Background:

Immunogen:	KLH conjugated synthetic peptide derived from mouse G protein coupled receptor 128	
Isotype:	IgG	
Predicted Reactivity:	Mouse,Rat	
Purification:	Purified by Protein A.	
Target Details		
Target:	G Protein-Coupled Receptor 128 (GPR128)	
Alternative Name:	Gpr128 (GPR128 Products)	

Synonyms: FLJ14454, G protein coupled receptor 128, GP128\_HUMAN, Gpr128, Probable G-

protein coupled receptor 128, GPCR GPR128.

Background: G protein-coupled receptors (GPCRs), also designated seven transmembrane (7TM) receptors and heptahelical receptors, are a protein family which interact with G proteins (heterotrimeric GTPases) to synthesize intracellular second messengers such as diacylglycerol, cyclic AMP, inositol phosphates, and calcium ions. Their diverse biological functions range from vision and olfaction to neuronal and endocrine signaling and are involved in many pathological conditions. G protein receptor 128 (GPR128), a member of the secretin family of GCPRs with a GPS domain in its N-terminal domain, may mediate signaling processes to the interior of the cell via activation of G proteins. GPR128 represents an allopeptide which may be involved in T cell mediated transplant rejection as it is able to stimulate 2.102 T cells.

Gene ID:

239853

## **Application Details**

Application Notes: WB 1:100-1000

IHC-P 1:100-500

IF(IHC-P) 1:50-200

Restrictions: For Research Use only

### Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months