antibodies -online.com





anti-C17orf53 antibody (AA 282-527)

3 Images



Publication



Go to Product page

Overview

Quantity:	100 μL
Target:	C17orf53 (C17ORF53)
Binding Specificity:	AA 282-527
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This C17orf53 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	Purified recombinant fragment of human C170RF53 (AA: 282-527) expressed in E. coli.
Clone:	5F3H1
Isotype:	lgG2a
Purification:	purified

Target Details

Target:	C17orf53 (C170RF53)
Alternative Name:	C170RF53 (C170RF53 Products)
Background:	C17orf53 (chromosome 17 open reading frame 53) is a 647 amino acid protein that is encoded
	by a gene mapping to human chromosome 17. Chromosome 17 makes up over 2.5 % of the

human genome with about 81 million bases encoding over 1,200 genes. Two key tumor suppressor genes are associated with chromosome 17, namely, p53 and BRCA1. Tumor suppressor p53 is necessary for maintenance of cellular genetic integrity by moderating cell fate through DNA repair versus cell death. Malfunction or loss of p53 expression is associated with malignant cell growth and Li-Fraumeni syndrome. Like p53, BRCA1 is directly involved in DNA repair, specifically it is recognized as a genetic determinant of early onset breast cancer and predisposition to cancers of the ovary, colon, prostate gland and fallopian tubes. Chromosome 17 is also linked to neurofibromatosis, a condition characterized by neural and epidermal lesions, and dysregulated Schwann cell growth. Alexander disease, Birt-Hogg-Dube syndrome and Canavan disease are also associated with chromosome 17.,,

Molecular Weight:

69.8 kDa

Gene ID:

78995

HGNC:

78995

Application Details

Application Notes:

ELISA: 1:10000, WB: 1:500 - 1:2000

Restrictions:

For Research Use only

Handling

Format:

Liquid

Buffer:

Ascitic fluid containing 0.03 % sodium azide.

Preservative:

Sodium azide

Precaution of Use:

This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which

should be handled by trained staff only.

Storage:

4 °C/-20 °C

Storage Comment:

4°C, -20°C for long term storage


Publications

Product cited in:

Zuhlke, Johnson, Okoth, Stoffel, Robbins, Tembe, Salinas, Zheng, Xu, Carpten, Lange, Isaacs, Cooney: "Identification of a novel NBN truncating mutation in a family with hereditary prostate cancer." in: **Familial cancer**, Vol. 11, Issue 4, pp. 595-600, (2012) (PubMed).


Zheng, Zhang, Jiang, You, Liu, Lu, Zhou: "Functional NBS1 polymorphism is associated with occurrence and advanced disease status of nasopharyngeal carcinoma." in: **Molecular carcinogenesis**, Vol. 50, Issue 9, pp. 689-96, (2011) (PubMed).

Images




ELISA

Image 1. Black line: Control Antigen (100 ng), Purple line: Antigen(10 ng), Blue line: Antigen (50 ng), Red line: Antigen (100 ng),



Western Blotting

Image 2. Western blot analysis using C17ORF53 mAb against human C17ORF53 recombinant protein. (Expected MW is 51.9 kDa)



Western Blotting

Image 3. Western blot analysis using C17ORF53 mAb against HEK293 (1) and C17ORF53 (AA: 282-527)-hlgGFc transfected HEK293 (2) cell lysate.