

Datasheet for ABIN1734423
anti-FOXO1 antibody (N-Term)



[Go to Product page](#)

2 Images

Overview

Quantity:	50 µg
Target:	FOXO1
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FOXO1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC)

Product Details

Immunogen:	FOXO1 antibody was raised against a 15 amino acid peptide near the amino terminus of human FOXO1.
Isotype:	IgG
Specificity:	Reacts with humanFOXO1
Cross-Reactivity:	Mouse (Murine), Rat (Rattus)
Cross-Reactivity (Details):	Cross reacts with mouse and rat protein.
Purification:	Antigen affinity purified

Target Details

Target:	FOXO1
Alternative Name:	FOXO1 (FOXO1 Products)
Pathways:	PI3K-Akt Signaling , Cell Division Cycle , Fc-epsilon Receptor Signaling Pathway , EGFR Signaling Pathway , Neurotrophin Signaling Pathway , Carbohydrate Homeostasis , Chromatin Binding , Regulation of Carbohydrate Metabolic Process , CXCR4-mediated Signaling Events , BCR Signaling


Application Details

Application Notes:	Working dilution: ELISA, ICC, IHC-P (5 µg/mL), WB (1 - 2 µg/mL)
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS, Sodium azide 0.02 %
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C/-20 °C
Storage Comment:	Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Store undiluted.


**IHC : FOXO1
(N-Terminus) antibody**
(pab70979)



Anti-FOXO1 antibody IHC staining of human breast.
Immunohistochemistry of formalin-fixed,
paraffin-embedded tissue after heat-induced antigen
retrieval. Antibody pab70979 concentration 5 ug/ml.

Image 1.

**IHC : FOXO1
(N-Terminus) antibody**
(pab70979)



Anti-FOXO1 antibody IHC staining of human tonsil.
Immunohistochemistry of formalin-fixed,
paraffin-embedded tissue after heat-induced antigen
retrieval. Antibody pab70979 concentration 5 ug/ml.

Image 2.