



Datasheet for ABIN1734944

anti-GPR139 antibody (3rd Cytoplasmic Domain)



[Go to Product page](#)

2 Images

Overview

Quantity:	50 µg
Target:	GPR139
Binding Specificity:	3rd Cytoplasmic Domain
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GPR139 antibody is un-conjugated
Application:	Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	Synthetic 16 amino acid peptide from 3rd cytoplasmic domain of human GPR139. Percent identity with other species by BLAST analysis: Human (100%), Gorilla (100%), Gibbon (100%), Monkey (100%), Marmoset (100%), Mouse (100%), Rat (100%), Elephant (100%)
Isotype:	IgG
Specificity:	Reacts with human GPR139
Cross-Reactivity (Details):	BLAST analysis of the peptide immunogen showed no homology with other human proteins.
Purification:	Antigen affinity purified

Target Details

Target:	GPR139
---------	--------

Target Details

Alternative Name: GPR139 ([GPR139 Products](#))

UniProt: [Q6DWJ6](#)

Application Details

Application Notes: Working dilution: IHC-P (6 µg/mL - 14

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 mg/mL

Buffer: PBS, Sodium azide 0.1 %

Preservative: Sodium azide


Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C/-80 °C

Storage Comment: Long term: -70°C, Short term: +4°C

Images


IHC : GPR139 (Cytoplasmic Domain) antibody (pab71155)



Human, Brain, Cortex, Neurons: Formalin-Fixed
Paraffin-Embedded (FFPE)

Image 1.

IHC : GPR139
(Cytoplasmic Domain) antibody
(pab71155)



Anti-GPR139 antibody IHC staining of human adrenal medulla. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody dilution 6-14 ug/ml.

Image 2.