

Datasheet for ABIN1738096

anti-PIGR antibody (Cytoplasmic Domain)[Go to Product page](#)**2** Images

Overview

Quantity:	50 µL
Target:	PIGR
Binding Specificity:	Cytoplasmic Domain
Reactivity:	Human, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PIGR antibody is un-conjugated
Application:	Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	Synthetic 18 amino acid peptide from cytoplasmic domain of human PIGR. Percent identity with other species by BLAST analysis: Human, Gorilla, Orangutan, Gibbon , Monkey (100%), Marmoset (89%), Dog (83%), Elephant (83%)
Isotype:	IgG
Specificity:	Reacts with human and monkeys PIGR
Purification:	Antigen affinity purified

Target Details

Target:	PIGR
Alternative Name:	PIGR (PIGR Products)

Application Details

Application Notes: Working dilution: IHC-P (5 - 7.5 µg/mL)

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 mg/mL

Buffer: PBS, Sodium azide 0.1 %

Preservative: Sodium azide


Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C/-80 °C

Storage Comment: Long term: -70°C, Short term: +4°C

Images


IHC : PIGR (Cytoplasmic Domain) antibody (pab72353)



Anti-PIGR antibody pab72353 IHC staining of human kidney. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

Image 1.

IHC : PIGR
(Cytoplasmic Domain) antibody
(pab72353)



Anti-PIGR antibody pab72353 IHC staining of human small intestine. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

Image 2.