

Datasheet for ABIN1740124
anti-TLR7 antibody (AA 900-950)



[Go to Product page](#)

2 Images

Overview

Quantity:	50 µg
Target:	TLR7
Binding Specificity:	AA 900-950
Reactivity:	Human, Mouse, Rat, Dog, Mammalian
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TLR7 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	Synthetic peptide from human TLR7.
Isotype:	IgG
Specificity:	Reacts with human TLR7
Cross-Reactivity:	Mouse (Murine), Cow (Bovine), Dog (Canine), Rat (Rattus)
Cross-Reactivity (Details):	Cross reacts with bovine, monkey, canine, horse, mouse and rat protein.
Purification:	Purified (protein G)

Target Details

Target:	TLR7
Alternative Name:	TLR7 (TLR7 Products)

Target Details

UniProt:	Q9NYK1
Pathways:	TLR Signaling, Activation of Innate immune Response, Toll-Like Receptors Cascades

Application Details


Application Notes:	Working dilution: IHC-P (10 µg/mL), WB (0.5 - 2 µg/mL)
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	PBS, 0.2 % gelatin, Sodium azide 0.05 %
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C/-20 °C
Storage Comment:	Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles.

Images


IHC : TLR7 (aa900-950) antibody (pab74594)



Anti-TLR7 antibody IHC staining of human placenta.
Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody pab74594 concentration 10 µg/ml.

Image 1.

IHC : TLR7
(aa900-950) antibody
(pab74594)



Anti-TLR7 antibody IHC staining of human lung.
Immunohistochemistry of formalin-fixed, paraffin-embedded
tissue after heat-induced antigen retrieval. Antibody
pab74594 concentration 10 ug/ml.

Image 2.