antibodies - online.com







anti-Neuroligin 4 antibody (AA 782-945)



Image



()	11	\sim	rv		۱ ۸
	1 \ /	┙	I \/	╙	1/1

Quantity:	100 μg
Target:	Neuroligin 4 (NLGN4)
Binding Specificity:	AA 782-945
Reactivity:	Mouse
Host:	Mouse
Clonality:	Monoclonal
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunofluorescence (IF)

Product Details

Immunogen:	Fusion protein amino acids 782-945 (intracellular C-terminus) of mouse Neuroligin 4. ~45% identity with Neuroligin-1, -2 and -3.	
Clone:	S98-7	
Isotype:	lgG1	
Specificity:	Detects ~125-130 kDa. Does not cross-react with other Neuroligins.	
Cross-Reactivity:	Mouse, Rat	
Purification:	Protein G Purified	

Target Details

Target Details

rarget Details		
Alternative Name:	Neuroligin 4 (NLGN4 Products)	
Background:	This gene encodes a member of a family of neuronal cell surface proteins. Members of this family may act as splice site-specific ligands for beta-neurexins and may be involved in the formation and remodeling of central nervous system synapses. The encoded protein interacts with discs, large (Drosophila) homolog 4 (DLG4). Mutations in this gene have been associated with autism and Asperger syndrome. Two transcript variants encoding the same protein have been identified for this gene.	
Gene ID:	100113365	
UniProt:	B0F2B4	
Pathways:	Cell-Cell Junction Organization, Synaptic Membrane	
Application Details		
Application Notes:	 WB (1:1000) IHC (1:100) optimal dilutions for assays should be determined by the user. 	
Comment:	1 μ g/ml of ABIN1741413 was sufficient for detection of Neuroligin 4 in 20 μ g of mouse brain lysate by colorimetric immunoblot analysis using Goat anti-mouse IgG:HRP as the secondary antibody.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	PBS pH 7.4, 50 % glycerol, 0.1 % sodium azide, Storage buffer may change when conjugated	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	-20°C	



Immunohistochemistry

Image 1. Immunohistochemistry analysis using Mouse Anti-Neuroligin 4 Monoclonal Antibody, Clone S98-7. Tissue: Dentate Gyrus. Species: Mouse. Fixation: formaldehyde-fixed paraffin embedded. Primary Antibody: Mouse Anti-Neuroligin 4 Monoclonal Antibody at 1:100. Secondary Antibody: FITC Goat Anti-Mouse (green). Counterstain: DAPI (blue) nuclear stain at 1:1000. Courtesy of: Rachel Reith, NIH/NIMH.