

Datasheet for ABIN1742177

anti-Desmoplakin antibody





_			
	Ve.	rv	iew

Quantity:	200 μL
Target:	Desmoplakin (DSP)
Reactivity:	Aureococcus anophagefferens (A. anophagefferens), Diatom (Fragilariopsis), Diatom (Skeletonema), Emiliania huxleyi, Phaeodactylum tricornutum, Thalassiosira pseudonana
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB)

Product Details

Immunogen:	KLH-conjugated synthetic peptide derived from known sequences of DSP in diatoms,	
	conserved in Dsp1 and Dsp2, UniProt: B6RD07 of Thalassiosira pseudonana and Skeletonema	
	costatum and Dsp1 in Fragilariopsis cylindrus and Phaeodactylum tricornutum	
No Cross-Reactivity:	Aureococcus anophagefferens (A. anophagefferens)	
Cross-Reactivity (Details):	Not reactive in: Aureococcus anophagefferens	
Purification:	serum	

Target Details

Target:	Desmoplakin (DSP)
Alternative Name:	Dsp (DSP Products)
Molecular Weight:	expected: 25 kDa, appearent: 25 kDa
Pathways:	Cell-Cell Junction Organization


Application Details

Application Notes:	1:10 000 with standard ECL (WB)
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	For reconstitution add 200 µL of sterile water.
Handling Advice:	Avoid repeated freeze-thaw cycles.
	Please, remember to spin tubes briefly prior to opening them to avoid any losses that might
	occur from lyophilized material adhering to the cap or sides of the tubes.
Storage:	-20 °C
Storage Comment:	store lyophilized/reconstituted at -20°C, once reconstituted make aliquots to avoid repeated
	freeze-thaw cycles. Please, remember to spin tubes briefly prior to opening them to avoid any
	losses that might occur from lyophilized material adhering to the cap or sides of the tubes.

Images



Western Blotting

Image 1.