antibodies - online.com







anti-CADM2 antibody (AA 167-181)



Images




\sim	
()\/\	rview
\circ	

Overview	
Quantity:	50 μg
Target:	CADM2
Binding Specificity:	AA 167-181
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)
Product Details	
Immunogen:	Synthetic peptide (aa 167-181 of mouse synCAM 2) coupled to key-hole limpet hemocyanin via an N-terminal added cysteine.
Specificity:	Specific for synCAM 2.
Purification:	Affinity purified with the immunogen. Rabbit serum albumin was added for stabilization.
Target Details	
Target:	CADM2
Alternative Name:	SynCAM 2 (CADM2 Products)
Background:	Synonyms: Cadm2, Necl-3, IgSF4D
Pathways:	Cell-Cell Junction Organization

Application Details


Application Notes:	WB: 1 : 1000 (AP staining)
	IP: not tested yet
	ICC: 1:100
	IHC: 1:100
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	For reconstitution add 50 µL H2O to get a 1mg/ml solution of antibody in PBS. Then aliquot and
	store at -20 °C until use.
Buffer:	PBS
Handling Advice:	Affinity purified antibodies are less robust than antisera, since protease inhibitors are also
	removed during purification. Hence, storage at 4 °C for prolonged periods (i.e. several weeks), is
	not recommended.
Storage:	-20 °C
Storage Comment:	Unlabeled lyophilized antibodies are stable in this form without loss of quality at ambient
	temperatures for several weeks or even months. They can be stored at 4°C for several years.
	Lyophilized antibodies must not be stored in the freezer, they may be destroyed!

Images




Western Blotting

Image 1.



Immunocytochemistry

Image 2.



Immunohistochemistry

Image 3.