# antibodies -online.com







# anti-SLC4A8 antibody (AA 1078-1089)

**Images** 



$\sim$			
	N/6	1//r	$I \cap V$

Quantity:	50 μg	
Target:	SLC4A8	
Binding Specificity:	AA 1078-1089	
Reactivity:	Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Application:	Western Blotting (WB), Immunohistochemistry (IHC)	
Product Details		
Product Details Immunogen:	Synthetic peptide (aa 1078-1089 of mouse NDCBE) coupled to KLH via an N-terminal added	
	Synthetic peptide (aa 1078-1089 of mouse NDCBE) coupled to KLH via an N-terminal added cysteine.	
Immunogen:	cysteine.	
Immunogen: Specificity:	cysteine.  Specific for NDCBE/SLC4A8.	
Immunogen:  Specificity:  Purification:	cysteine.  Specific for NDCBE/SLC4A8.	
Immunogen:  Specificity:  Purification:  Target Details	cysteine.  Specific for NDCBE/SLC4A8.  Affinity purified with the immunogen. Rabbit serum albumin was added for stabilization.	


# **Application Details**

Application Notes:	WB: 1 : 1000 (AP staining)	
	IP: not tested yet	
	ICC: not tested yet	
Comment:	WB: Using non-boiled samples to run SDS-PAGE is recommended.	
Restrictions:	For Research Use only	
Handling		

## папишпу


Format:	Lyophilized	
Reconstitution:	For reconstitution add 50 $\mu$ L H20 to get a 1mg/ml solution of antibody in PBS. Then aliquot and store at -20 $^{\circ}$ C until use.	
Buffer:	PBS	
Handling Advice:	Affinity purified antibodies are less robust than antisera, since protease inhibitors are also removed during purification. Hence, storage at 4 °C for prolonged periods (i.e. several weeks), is not recommended.	
Storage:	-20 °C	
Storage Comment:	Comment: Unlabeled lyophilized antibodies are stable in this form without loss of quality at ambient temperatures for several weeks or even months. They can be stored at 4°C for several years. Lyophilized antibodies must not be stored in the freezer, they may be destroyed!	

### **Images**



#### **Western Blotting**

Image 1.



#### **Immunohistochemistry**

Image 2.