

Datasheet for ABIN1774736 **anti-CD45 antibody (PE)**



[Go to Product page](#)

1 Image **7** Publications

Overview

Quantity:	100 µg
Target:	CD45 (PTPRC)
Reactivity:	Human, Mouse, Cat
Host:	Rat
Clonality:	Monoclonal
Conjugate:	This CD45 antibody is conjugated to PE
Application:	Flow Cytometry (FACS)

Product Details

Purpose:	Anti-Ms CD45R PE
Immunogen:	Abelson murine leukemia virus-induced pre-B tumor cells
Clone:	RA3-6B2
Isotype:	IgG2a kappa
Specificity:	The rat monoclonal antibody RA3-6B2 recognizes an extracellular epitope on CD45R, which is expressed at all developmental stages of B cells, including activated B cells, but also on subsets of NK and T cells. T cells detected by this antibody are supposed to be in activated state.
Cross-Reactivity (Details):	Human, Mouse, Feline (Cat)
Purification:	Purified antibody is conjugated with R-phycoerythrin (PE) under optimum conditions. Unconjugated antibody and free fluorochrome are removed by size-exclusion chromatography.

Target Details

Target:	CD45 (PTPRC)
Alternative Name:	CD45R (PTPRC Products)
Background:	CD45R, also known as B220, is a receptor-type protein tyrosine phosphatase glycoprotein. It is crucial in lymphocyte development and antigen signaling, serving as an important regulator of Src-family kinases, promotes cell survival by modulating integrin-mediated signal transduction pathway and is also involved in DNA fragmentation during apoptosis. CD45R expression also identifies a subset of murine bone marrow cells able to form osteoclast-like cells.,PTPRCR, T200R
Pathways:	TCR Signaling , Regulation of Leukocyte Mediated Immunity , Positive Regulation of Immune Effector Process , Production of Molecular Mediator of Immune Response , CXCR4-mediated Signaling Events , BCR Signaling

Application Details

Application Notes: Flow cytometry: Recommended dilution: 1-5 µg/mL.

Restrictions: For Research Use only

Handling

Concentration: 0.5 mg/mL

Buffer: Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Handling Advice: **Do not freeze.**
Avoid prolonged exposure to light.

Storage: 4 °C

Storage Comment: Store at 2-8°C. Protect from prolonged exposure to light. Do not freeze.

Publications

Product cited in: Lochhead, Sonderegger, Ma, Brewster, Cornwall, Maylor-Hagen, Miller, Zachary, Weis, Weis: "Endothelial cells and fibroblasts amplify the arthritogenic type I IFN response in murine Lyme disease and are major sources of chemokines in *Borrelia burgdorferi*-infected joint tissue." in:

Journal of immunology (Baltimore, Md. : 1950), Vol. 189, Issue 5, pp. 2488-501, (2012) ([PubMed](#)).

Montecino-Rodriguez, Leathers, Dorshkind: "Identification of a B-1 B cell-specified progenitor." in: **Nature immunology**, Vol. 7, Issue 3, pp. 293-301, (2006) ([PubMed](#)).


Rothausler, Baumgarth: "Evaluation of intranuclear BrdU detection procedures for use in multicolor flow cytometry." in: **Cytometry. Part A : the journal of the International Society for Analytical Cytology**, Vol. 69, Issue 4, pp. 249-59, (2006) ([PubMed](#)).

Cappione, Pugh-Bernard, Anolik, Sanz: "Lupus IgG VH4.34 antibodies bind to a 220-kDa glycoform of CD45/B220 on the surface of human B lymphocytes." in: **Journal of immunology (Baltimore, Md. : 1950)**, Vol. 172, Issue 7, pp. 4298-307, (2004) ([PubMed](#)).

Tsurui, Nishimura, Hattori, Hirose, Okumura, Shirai: "Seven-color fluorescence imaging of tissue samples based on Fourier spectroscopy and singular value decomposition." in: **The journal of histochemistry and cytochemistry : official journal of the Histochemistry Society**, Vol. 48, Issue 5, pp. 653-62, (2000) ([PubMed](#)).

There are more publications referencing this product on: [Product page](#)

Images



Flow Cytometry

Image 1. Flow cytometry analysis (surface staining) of CD45R in murine splenocytes with anti-CD45R (RA3-6B2) PE.