antibodies

Datasheet for ABIN1781965 anti-Syntaxin 11 antibody (Internal Region)





Overview

Quantity:	100 µg
Target:	Syntaxin 11 (STX11)
Binding Specificity:	Internal Region
Reactivity:	Human
Host:	Goat
Clonality:	Polyclonal
Conjugate:	This Syntaxin 11 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Purpose:	syntaxin 11
Sequence:	KQADTLNVIE LNVQK
lsotype:	lgG
Cross-Reactivity:	Dog, Human, Rat
Purification:	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Grade:	Verified
Target Details	
Target:	Syntaxin 11 (STX11)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN1781965 | 12/22/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
Alternative Name:	STX11 (STX11 Products)
Background:	STX11, syntaxin 11, FHL4, HLH4, HPLH4, syntaxin-11
Molecular Weight:	Expected molecular weight: 36 kDa
Gene ID:	8676, 292483
NCBI Accession:	NP_003755
Application Details	
Application Notes:	Western Blot: Approx 36 kDa band observed in Human Placenta lysates (calculated MW of
	33.2 kDa according to NP_003755.2). This molecular weight is routinely observed by other
	sources. Recommended concentration: 1-3 µg/mL.
	Peptide ELISA: antibody detection limit dilution 1:128000.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	Supplied at 0.5 mg/mL in Tris saline, 0.02 % sodium azide, pH 7.3 with 0.5 % bovine serum albumin.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Handling Advice:	Minimize freezing and thawing.
Storage:	-20 °C
Storage Comment:	Aliquet and store at 20°C with minimal freeze/thewing. A working aliquet may be refrigerated

Storage Comment:Aliquot and store at -20°C, with minimal freeze/thawing. A working aliquot may be refrigerated
at 4°C for a few weeks and still remain viable.

250kDa 150kDa	Western Blotting
100kDa 75kDa	Image 1. ABIN1781965 (1µg/ml) staining of Placenta
50kDa	lysate (35µg protein in RIPA buffer). Primary incubation
37kDa	was 1 hour. Detected by chemiluminescence.
25kDa	
20kDa	
15kDa	