antibodies -online.com





anti-HEPACAM2 antibody (C-Term)





Go to Product page

Overview

Quantity:	0.05 mg
Target:	HEPACAM2
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HEPACAM2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p))

Product Details

Brand:	IHC-plus [™]
Isotype:	IgG
Specificity:	HEPACAM2 antibody is human, mouse and rat reactive. At least two isoforms of HEPACAM2 are known to exist, this antibody will detect both isoforms. HEPACAM2 antibody is predicted to not cross-react with HEPACAM.
Purification:	Immunoaffinity purified

Target Details

Target:	HEPACAM2
Alternative Name:	HEPACAM2 (HEPACAM2 Products)

Target Details

Handling Advice:

Storage Comment:

Storage:

Expiry Date:


l arget Details	
Background:	Name/Gene ID: HEPACAM2
	Synonyms: HEPACAM2, HEPACAM family member 2, MIKI, Mitotic kinetics regulator
Gene ID:	253012
UniProt:	A8MVW5
Application Details	
Application Notes:	Approved: IHC, IHC-P (5 μg/mL), WB (0.5 - 1 μg/mL)
	Usage: HEPACAM2 antibody can be used for detection of HEPACAM2 by Western blot at 0.5-1 µg/mL.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, 0.02 % sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Store at 4°C for 3 months and -20°C, stable for up to 1 year. Avoid repeated freeze-thaw cycles.

Avoid repeated freezing and thawing.

4 °C,-20 °C

12 months



Immunohistochemistry

Image 1. Human Liver: Formalin-Fixed, Paraffin-Embedded (FFPE)