

Datasheet for ABIN1804804 anti-SLAIN1 antibody (C-Term)

1 Image



Go to Product page

_			
	IVe	rv	iew

Quantity:	0.05 mg
Target:	SLAIN1
Binding Specificity:	C-Term
Reactivity:	Human, Rat, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SLAIN1 antibody is un-conjugated
Application:	ELISA, Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)), Immunofluorescence (IF)
Product Details	
Product Details Brand:	IHC-plus™
	IHC-plus™
Brand:	<u> </u>
Brand: Isotype:	IgG At least three isoforms of SLAIN1 are known to exist, this antibody will detect all three. SLAIN1
Brand: Isotype: Specificity:	IgG At least three isoforms of SLAIN1 are known to exist, this antibody will detect all three. SLAIN1 antibody is predicted not to cross-react with SLAIN2.
Brand: Isotype: Specificity: Purification:	IgG At least three isoforms of SLAIN1 are known to exist, this antibody will detect all three. SLAIN1 antibody is predicted not to cross-react with SLAIN2.

Target Details


Background:	Name/Gene ID: SLAIN1	
	Synonyms: SLAIN1, C13orf32, SLAIN motif family, member 1	
Gene ID:	122060	
UniProt:	Q8ND83	

Application Details

Application Notes:	Approved: ELISA, IF (2.5 μ g/mL), IHC, IHC-P (10 μ g/mL), WB (1 μ g/mL)	
Comment:	Target Species of Antibody: Human	
Restrictions:	For Research Use only	

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, 0.02 % sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Aliquot to avoid repeated freezing and thawing. Store undiluted.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for 3 months and -20°C, stable for up to 1 year. Avoid repeated freeze-thaw cycles.
Expiry Date:	12 months



Immunohistochemistry

Image 1. Anti-SLAIN1 antibody IHC staining of human kidney. Immunohistochemistry of formalin-fixed, paraffinembedded tissue after heat-induced antigen retrieval. Antibody concentration 10 ug/ml.