# antibodies - online.com







# anti-TMX1 antibody (C-Term)





#### Overview


Quantity:	100 μg
Target:	TMX1
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Goat
Clonality:	Polyclonal
Conjugate:	This TMX1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

### **Product Details**

Purpose:	TXNDC1 / TMX
Immunogen:	C-RSLGPSLATDKS
Sequence:	RSLGPSLATD KS
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Grade:	Verified

## **Target Details**

rarget Details	
Target:	TMX1
Alternative Name:	TMX1 (TMX1 Products)
Background:	TMX1, TXNDC, TMX, thioredoxin domain containing 1, TXNDC1, DKFZP564E1962, thioredoxin domain-containing, thioredoxin-related transmembrane protein 1, PDIA11, protein disulfide isomerase family A, member 11, thioredoxin domain containing 1, thioredoxin-rel
Gene ID:	81542
NCBI Accession:	NP_110382
Pathways:	Cell RedoxHomeostasis
Application Details	
Application Notes:	Western Blot: Approx 35 kDa band observed in Human Liver lysates (calculated MW of 31.8 kDa according to NP_110382.3). Recommended concentration: 0.01-0.03 µg/mL. Peptide ELISA: antibody detection limit dilution 1:64000.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	Supplied at 0.5 mg/mL in Tris saline, 0.02 % sodium azide, pH 7.3 with 0.5 % bovine serum albumin.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Minimize freezing and thawing.
Storage:	-20 °C
Storage Comment:	Aliquot and store at -20°C, with minimal freeze/thawing. A working aliquot may be refrigerated at 4°C for a few weeks and still remain viable.



#### **Western Blotting**

**Image 1.** ABIN184598 (0.01 $\mu$ g/ml) staining of Human Liver lysate (35 $\mu$ g protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.