

Datasheet for ABIN1846085

anti-TGFB1 antibody (AA 62-195)





Go to Product page

_			
	IVe	rv	iew

Overview		
Quantity:	100 μL	
Target:	TGFB1	
Binding Specificity:	AA 62-195	
Reactivity:	Human	
Host:	Mouse	
Clonality:	Monoclonal	
Conjugate:	This TGFB1 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA, Flow Cytometry (FACS)	
Product Details		
Immunogen:	Purified recombinant fragment of human TGFb1 (AA: 62-195) expressed in E. Coli.	
Isotype:	IgG1	
Purification:	Purified antibody	
Target Details		
Target:	TGFB1	
Alternative Name:	TGFb1 (TGFB1 Products)	
Background:	This gene encodes a member of the transforming growth factor beta (TGFB) family of	
	cytokines, which are multifunctional peptides that regulate proliferation, differentiation,	
	adhesion, migration, and other functions in many cell types. Many cells have TGFB receptors,	
	and the protein positively and negatively regulates many other growth factors. The secreted	
	, , , , , , , , , , , , , , , , , , , ,	

Target Details

protein is cleaved into a latency-associated peptide (LAP) and a mature TGFB1 peptide, and is found in either a latent form composed of a TGFB1 homodimer, a LAP homodimer, and a latent TGFB1-binding protein, or in an active form composed of a TGFB1 homodimer. The mature peptide may also form heterodimers with other TGFB family members. This gene is frequently upregulated in tumor cells, and mutations in this gene result in Camurati-Engelmann disease.

Molecular Weight: 44.3 kDa

Gene ID: 7040

UniProt: P01137

Pathways: EGFR Signaling Pathway, Dopaminergic Neurogenesis, Cellular Response to Molecule of

Bacterial Origin, Glycosaminoglycan Metabolic Process, Regulation of Leukocyte Mediated Immunity, Regulation of Muscle Cell Differentiation, Positive Regulation of Immune Effector Process, Cell-Cell Junction Organization, Production of Molecular Mediator of Immune Response, Ribonucleoside Biosynthetic Process, Skeletal Muscle Fiber Development,


Regulation of Carbohydrate Metabolic Process, Protein targeting to Nucleus, Autophagy,

Cancer Immune Checkpoints

Application Details


Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling		
Format:	Liquid	
Concentration:	1.0 mg/mL	
Buffer:	PBS with 0.05 % sodium azide and 0.5 % protein stabilizer.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Aliquot and store at -20 °C. Avoid repeated freeze/thaw cycles.	




Immunohistochemistry

Image 1.



Immunohistochemistry

Image 2.



ELISA

Image 3.

Please check the product details page for more images. Overall 6 images are available for ABIN1846085.