



[Go to Product page](#)

Datasheet for ABIN184923
anti-RFPL2+RFPL3 antibody (C-Term)

Overview

Quantity:	100 µg
Target:	RFPL2+RFPL3 (RFPL2/3)
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Goat
Clonality:	Polyclonal
Conjugate:	This RFPL2+RFPL3 antibody is un-conjugated
Application:	ELISA

Product Details

Purpose:	RFPL2 and RFPL3
Immunogen:	Peptide with sequence C-TTDAPVRPGEAK, from the C Terminus of the protein sequence according to NP_006596.2, NP_001091997.2, NP_001153017.1, NP_001153018.1, NP_001092005.1, NP_006595.1.
Sequence:	TTDAPVRPGE AK
Isotype:	IgG
Specificity:	This is expected to recognise both RFPL2 (NP_006596.2, NP_001091997.2, NP_001153017.1, NP_001153018.1) and RFPL3 (NP_001092005.1, NP_006595.1), which are virtually identical. Variants (NP_001153017.1, NP_001153018.1) encode the same isoform.
Cross-Reactivity:	Human

Product Details

Purification:	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Grade:	Recent

Target Details

Target:	RFPL2+RFPL3 (RFPL2/3)
Alternative Name:	RFPL2 and RFPL3 (RFPL2/3 Products)
Background:	RFPL2, RNF79, ret finger protein-like 2, RFPL3, ret finger protein-like 3
Gene ID:	10739, 10738
NCBI Accession:	NP_006596 , NP_001091997 , NP_001153017 , NP_001153018 , NP_001092005 , NP_006595

Application Details

Application Notes:	Western Blot: No signal obtained yet but low background observed in 293, Human Testis and Human Kidney lysates at up to 1 µg/mL. Peptide ELISA: antibody detection limit dilution 1:16000.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	Supplied at 0.5 mg/mL in Tris saline, 0.02 % sodium azide, pH 7.3 with 0.5 % bovine serum albumin.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Minimize freezing and thawing.
Storage:	-20 °C
Storage Comment:	Aliquot and store at -20°C, with minimal freeze/thawing. A working aliquot may be refrigerated at 4°C for a few weeks and still remain viable.