

Datasheet for ABIN185103  
**anti-PLEKHA8 antibody (C-Term)**[Go to Product page](#)

## 1 Image

## Overview

Quantity:	100 µg
Target:	PLEKHA8
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Goat
Clonality:	Polyclonal
Conjugate:	This PLEKHA8 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

## Product Details

Purpose:	FAPP2 / PLEKHA8
Immunogen:	Peptide with sequence C-DIQTALRNPTENT, from the C Terminus of the protein sequence according to NP_116028.1.
Sequence:	DIQTALRNPT ENT
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Grade:	Verified

## Target Details


Target:	PLEKHA8
Alternative Name:	PLEKHA8 ( <a href="#">PLEKHA8 Products</a> )
Background:	PLEKHA8, FAPP2, phosphoinositol 4-phosphate adaptor protein-2, MGC3358, pleckstrin homology domain containing, family A (phosphoinositide binding specific) member 8
Gene ID:	84725
NCBI Accession:	<a href="#">NP_116028</a>

## Application Details

Application Notes:	<p>Immunohistochemistry: In paraffin embedded Human Placenta shows strong staining of cytoplasm in the margins of villi. Recommended concentration, 2-4 µg/mL.</p> <p>Western Blot: Preliminary experiments gave no signal but low background in Human Kidney and Testis lysates at up to 1 µg/mL.</p> <p>Peptide ELISA: antibody detection limit dilution 1:64000.</p>
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	Supplied at 0.5 mg/mL in Tris saline, 0.02 % sodium azide, pH 7.3 with 0.5 % bovine serum albumin.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Minimize freezing and thawing.
Storage:	-20 °C
Storage Comment:	Aliquot and store at -20°C, with minimal freeze/thawing. A working aliquot may be refrigerated at 4°C for a few weeks and still remain viable.



#### Immunohistochemistry

**Image 1.** ABIN185103 (2.5µg/ml) staining of paraffin embedded Human Placenta. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.