

Datasheet for ABIN1857871 anti-ACP1 antibody (AA 40-158)

2 Images



Go to Product page

$\overline{}$			
()\	/er	1/14	ΔVV
\cup	/ CI	VIC	こvv

Quantity:	100 μL
Target:	ACP1
Binding Specificity:	AA 40-158
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ACP1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)
Product Details	
i ioduci Detalis	
Immunogen:	ACP1 (Trp40-His158)
	ACP1 (Trp40-His158)
Immunogen:	IgG The antibody is a rabbit polyclonal antibody raised against ACP1. It has been selected for its
Immunogen: Isotype:	IgG
Immunogen: Isotype: Specificity:	IgG The antibody is a rabbit polyclonal antibody raised against ACP1. It has been selected for its ability to recognize ACP1 in immunohistochemical staining and western blotting.
Immunogen: Isotype: Specificity: Purification:	IgG The antibody is a rabbit polyclonal antibody raised against ACP1. It has been selected for its ability to recognize ACP1 in immunohistochemical staining and western blotting.
Immunogen: Isotype: Specificity: Purification: Target Details	IgG The antibody is a rabbit polyclonal antibody raised against ACP1. It has been selected for its ability to recognize ACP1 in immunohistochemical staining and western blotting. Antigen-specific affinity chromatography

Adinocyte acid	nhoenhataea	Red cell acid pl	nochhataca 1	I MM/M-DTDaca

Application Details

Application Notes:

Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500
 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.

Comment:


The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Restrictions:

For Research Use only


Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.
Handling Advice:	Avoid repeated freeze-thaw cycles.
<u> </u>	4 °C
	Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months. 12 months



Western Blotting

Image 1.



Immunohistochemistry

Image 2. Used in DAB staining on fromalin fixed paraffinembedded Liver tissue