antibodies .- online.com

Datasheet for ABIN1857892 anti-ADAM5 antibody (AA 413-649)

2 Images



Overview

| Quantity: | 100 µL |
|----------------------|--|
| Target: | ADAM5 |
| Binding Specificity: | AA 413-649 |
| Reactivity: | Rat |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This ADAM5 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC) |

Product Details

| Immunogen: | ADAM5 (Cys413-Gln649) |
|---------------|--|
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against ADAM5. It has been selected for its ability to recognize ADAM5 in immunohistochemical staining and western blotting. |
| Purification: | Antigen-specific affinity chromatography |

Target Details

| Target: | ADAM5 |
|-------------------|--|
| Alternative Name: | A Disintegrin And Metalloprotease 5 (ADAM5) (ADAM5 Products) |
| Background: | Alternative Names: tMDCII, TMDC2, Putative transmembrane metalloproteinase-like, |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN1857892 | 09/11/2023 | Copyright antibodies-online. All rights reserved. disintegrin-like, and cysteine-rich protein II, Disintegrin and metalloproteinase domaincontaining protein 5

Application Details

| Application Notes: | Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user. |
|--------------------|---|
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. |
| Restrictions: | For Research Use only |

Handling

| Format: | Liquid |
|--------------------|---|
| Concentration: | Lot specific |
| Buffer: | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. |
| Preservative: | Sodium azide |
| Precaution of Use: | WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or |
| | eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a |
| | physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute |
| | azide-containing compounds in running water before discarding to avoid accumulation of |
| | potentially explosive deposits in lead or copper plumbing. |
| Handling Advice: | Avoid repeated freeze-thaw cycles. |
| Storage: | 4 °C |
| Storage Comment: | Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months. |
| Expiry Date: | 12 months |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN1857892 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Images







Image 1.



Immunohistochemistry

Image 2. Figure.DAB staining on IHC-P. Samples: Rat Tissue

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN1857892 | 09/11/2023 | Copyright antibodies-online. All rights reserved.