antibodies.com

# Datasheet for ABIN1857955 anti-LALBA antibody (AA 20-159)

2 Images



#### Overview

| Quantity:            | 100 μL   |
|----------------------|--|
| Target:              | LALBA  |
| Binding Specificity: | AA 20-159  |
| Reactivity:          | Rat  |
| Host:                | Rabbit   |
| Clonality:           | Polyclonal   |
| Conjugate:           | This LALBA antibody is un-conjugated   |
| Application:         | Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC) |

### Product Details

| Immunogen:    | aLA (Thr20-Pro159)   |
|---------------|--|
| Isotype:      | IgG  |
| Specificity:  | The antibody is a rabbit polyclonal antibody raised against aLA. It has been selected for its ability to recognize aLA in immunohistochemical staining and western blotting. |
| Purification: | Antigen-specific affinity chromatography   |

## Target Details

| Target:           | LALBA  |
|-------------------|--|
| Alternative Name: | Alpha-Lactalbumin (aLA) (LALBA Products)   |
| Background:       | Alternative Names: LALBA, LYZL7, Lactose Synthase B Protein, Lysozyme Like Protein 7 |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN1857955 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

| Application Details |   |
|---------------------|---|
| Application Notes:  | <ul> <li>Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500<br/>Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in<br/>paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal<br/>working dilutions must be determined by end user.</li> </ul>   |
| Comment:            | The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37&degC for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.  |
| Restrictions:       | For Research Use only   |
| Handling            |   |
| Format:             | Liquid  |
| Concentration:      | Lot specific  |
| Buffer:             | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.   |
| Preservative:       | Sodium azide  |
| Precaution of Use:  | WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled.<br>Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or<br>eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a<br>physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute<br>azide-containing compounds in running water before discarding to avoid accumulation of<br>potentially explosive deposits in lead or copper plumbing. |
| Handling Advice:    | Avoid repeated freeze-thaw cycles.  |
| Storage:            | 4 °C  |
| Storage Comment:    | Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.   |
| Expiry Date:        | 12 months   |







Image 1.



#### Immunohistochemistry

Image 2. Figure.DAB staining on IHC-P. Samples: Rat Tissue

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN1857955 | 09/11/2023 | Copyright antibodies-online. All rights reserved.