

# Datasheet for ABIN1857968 anti-ALT antibody (AA 203-443)






Go to Product page

$\sim$			
	ve	r\/	٨
$\cup$	V C	1 V I	٧V

Quantity:	100 μL	
Target:	ALT	
Binding Specificity:	AA 203-443	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ALT antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	
	inimunocytochemistry (icc)	
Product Details		
Purpose:	Polyclonal Antibody to Alanine Aminotransferase (ALT)	
Immunogen:	RPA207Ra02Recombinant Alanine Aminotransferase (ALT)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against ALT. It has been selected for its	
	ability to recognize ALT in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	
Target Details		
Target:	ALT	


## Target Details

GPT, ALAT, SGPT, AAT1, GPT1, Serum Glutamic Pyruvic Transaminase, Alanine Transaminase,		
Glutamate pyruvate transaminase 1, Glutamicalanine transaminase 1		
Western blotting: 0.5-2 μg/mL,lmmunohistochemistry: 5-20 μg/mL,lmmunocytochemistry: 5-		
20 μg/mL,Optimal working dilutions must be determined by end user.		
The thermal stability is described by the loss rate. The loss rate was determined by accelerated		
thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious		
degradation and precipitation were observed. The loss rate is less than 5% within the expiration		
date under appropriate storage condition.		
For Research Use only		
Liquid		
500 μg/mL		
PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.		
Sodium azide		
WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled.		
Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or		
eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a		
physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute		
azide-containing compounds in running water before discarding to avoid accumulation of		
potentially explosive deposits in lead or copper plumbing.		
Avoid repeated freeze-thaw cycles.		
4 °C,-20 °C		
Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without		
detectable loss of activity. Avoid repeated freeze-thaw cycles.		
12 months		




### **Western Blotting**

Image 1.



### **Western Blotting**

Image 2. Western Blot; Sample: Rat Heart lysate; Primary Ab: 1μg/ml Rabbit Anti-Rat ALT Antibody Second Ab: 0.2μg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



### **Immunohistochemistry**

Image 3. DAB staining on IHC-P; Samples: Rat Liver Tissue