

Datasheet for ABIN1858115

anti-BAFF antibody (AA 96-184) (Biotin)



[Go to Product page](#)

1 Image

Overview

Quantity:	200 µL
Target:	BAFF (TNFSF13B)
Binding Specificity:	AA 96-184
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BAFF antibody is conjugated to Biotin
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

Product Details

Purpose:	Biotin-Linked Polyclonal Antibody to B-Cell Activation Factor Receptor (BAFFR)
Immunogen:	Recombinant BAFFR expressed in E.coli. The antibody is a rabbit polyclonal antibody raised against BAFFR conjugated to biotin.
Sequence:	MGHHHHHHSG SEF- VGLVS WRRRQRLRG ASSAEAPDGD KDAPEPLDKV IILSPGISDA TAPAWPPPGE DPGTTPPGHS VPVPATELGS TELVTTKTAG PEQQ
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against BAFFR. It has been selected for its ability to recognize BAFFR in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	BAFF (TNFSF13B)
Alternative Name:	B-Cell Activation Factor Receptor (TNFSF13B Products)
Background:	CD268, TNFRSF13C, TNFRSF13-C, BAFF-R, BAFFR, BR3, Tumor Necrosis Factor Receptor Superfamily Member 13C
Pathways:	NF-kappaB Signaling , Production of Molecular Mediator of Immune Response

Application Details

Application Notes:	Western blotting: 0.2-2 µg/mL, 1:250-2500 Immunohistochemistry: 5-20 µg/mL, 1:25-100 Immunocytochemistry: 5-20 µg/mL, 1:25-100 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	500 µg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.
Handling Advice:	Avoid repeated freeze/thaw cycles
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.

Handling

Expiry Date: 12 months

Images



Western Blotting

Image 1.