

Datasheet for ABIN1858217
anti-DFFB antibody (AA 87-323)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	DFFB
Binding Specificity:	AA 87-323
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DFFB antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)

Product Details

Purpose:	Polyclonal Antibody to Caspase Activated DNase (CAD)
Immunogen:	RPB058Hu01Recombinant Caspase Activated DNase (CAD)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against CAD. It has been selected for its ability to recognize CAD in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	DFFB
---------	------

Target Details


Alternative Name:	Caspase Activated DNase (DFFB Products)
Background:	DFF-B, DFFB, CPAN, DFF40, DFF2, DNA Fragmentation Factor 40 kDa Beta Polypeptide, Caspase-activated deoxyribonuclease, Caspase-activated nuclease
Pathways:	Apoptosis , Caspase Cascade in Apoptosis

Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL, Immunohistochemistry: 5-20 µg/mL, Immunocytochemistry: 5-20 µg/mL, Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	12 months



Western Blotting

Image 1.