antibodies -online.com





anti-CASP14 antibody (AA 17-248)





Go to Product page

\sim	
()\/\	rview
	VICVV

Background:

Quantity:	100 μL
Target:	CASP14
Binding Specificity:	AA 17-248
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CASP14 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)
Product Details	
Immunogen:	CASP14 (Asp17-Ser248)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against CASP14. It has been selected for its ability to recognize CASP14 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography
Target Details	
Target:	CASP14
Alternative Name:	Caspase 14 (CASP14 Products)

Alternative Names: Caspase 14 Apoptosis-Related Cysteine Peptidase, Cysteinyl Aspartate

Handling Advice:

Storage Comment:

Storage:

Expiry Date:

Specific Proteinases 14

Application Details • Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Application Notes: Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user. Comment: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. Restrictions: For Research Use only Handling Format: Liquid Concentration: Lot specific Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. Preservative: Sodium azide Precaution of Use: WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of


potentially explosive deposits in lead or copper plumbing.

Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.

Avoid repeated freeze-thaw cycles.


4°C

12 months




Western Blotting

Image 1.



Western Blotting

Image 2. Western Blot; Sample: Mouse Kidney lysate; Primary Ab: 1μg/ml Rabbit Anti-Mouse CASP14 Antibody Second Ab: 0.2μg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



Immunohistochemistry

Image 3. DAB staining on IHC-P; Samples: Mouse Lung Tissue

Please check the product details page for more images. Overall 4 images are available for ABIN1858238.