antibodies -online.com





anti-CHGB antibody (AA 315-482)

2 Images




Go to Product page

\sim							
	1//	\Box	$r \setminus$	/ [\bigcirc	1	٨,

OVCIVICVV		
Quantity:	100 μL	
Target:	CHGB	
Binding Specificity:	AA 315-482	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CHGB antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	
Product Details		
Immunogen:	CHGB (Tyr315-Lys482)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against CHGB. It has been selected for its ability to recognize CHGB in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography	
Target Details		
Target:	CHGB	
Alternative Name:	Chromogranin B (CHGB) (CHGB Products)	
Background:	Alternative Names: SCG1, CgB, SgI, Secretoneurin 1, Secretogranin 1	


Application Details

Application Notes:	 Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user. 				
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious				
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration				
	date under appropriate storage condition.				
Restrictions:	For Research Use only				
Handling					
Format:	Liquid				
Concentration:	Lot specific				
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.				
Preservative:	Sodium azide				
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.				
Handling Advice:	Avoid repeated freeze-thaw cycles.				
Storage:	4 °C				
Storage Comment:	nment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.				
Expiry Date:	12 months				



Western Blotting

Image 1.



Immunohistochemistry

Image 2. Figure.DAB staining on IHC-P. Samples: Rat Tissue