# antibodies .- online.com





# anti-CSNK1A1 antibody (AA 114-324)

3 Images



Go to Product page

#### Overview

Alternative Name:

Background:

Quantity:	100 μL
Target:	CSNK1A1
Binding Specificity:	AA 114-324
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CSNK1A1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)
Product Details	
Immunogen:	CSNK1a1 (Leu114-Gly324)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against CSNK1a1. It has been selected for
	its ability to recognize CSNK1a1 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography
Target Details	
Target:	CSNK1A1

Casein Kinase 1 Alpha 1 (CSNK1a1) (CSNK1A1 Products)

Alternative Names: CSNK1-A1, CK1, HLCDGP1

Target Details		
Pathways:	WNT Signaling, Hedgehog Signaling	
Application Details		
Application Notes:	Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37&degC for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	Lot specific	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of	

potentially explosive deposits in lead or copper plumbing.

Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.

Avoid repeated freeze-thaw cycles.

4°C


12 months

Handling Advice:

Storage Comment:


Storage:

Expiry Date:




# **Western Blotting**

Image 1.



## **Western Blotting**

Image 2. Western Blot; Sample: Human MCF7 cell lysate; Primary Ab: 2μg/ml Rabbit Anti-Rat CSNK1a1 Antibody Second Ab: 0.2μg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



## **Immunohistochemistry**

**Image 3.** Used in DAB staining on fromalin fixed paraffinembedded Liver tissue