antibodies

# Datasheet for ABIN1858573 anti-Connexin 31 antibody (AA 84-174)

2 Images



Overview

Quantity:	100 μL	
Target:	Connexin 31 (GJB3)	
Binding Specificity:	AA 84-174	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Connexin 31 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	

### Product Details

Immunogen:	CX31 (Val84-Val174)		
lsotype:	IgG		
Specificity:	The antibody is a rabbit polyclonal antibody raised against CX31. It has been selected for its ability to recognize CX31 in immunohistochemical staining and western blotting.		
Purification:	Antigen-specific affinity chromatography		
Target Details			
Target:	Connexin 31 (GJB3)		
Alternative Name:	Connexin 31 (CX31) (GJB3 Products)		
Background:	Alternative Names: GJB3, GJ-B3, DFNA2, EKV, Gap Junction Protein Beta 3,		

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN1858573 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

#### Target Details

	Erythrokeratodermia Variabilis
Pathways:	Sensory Perception of Sound
Application Details	
Application Notes:	• Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37&degC for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only


## Handling

Format:	Liquid	
Concentration:	Lot specific	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	4 °C	
Storage Comment:	Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.	
Expiry Date:	12 months	

Western Blot				
kDa 75				
50		( 12kDa		
37	-	←43kDa		
25				
20				
15				
10				



Image 1.



#### Immunohistochemistry

Image 2. Figure.DAB staining on IHC-P. Samples: Rat Tissue

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN1858573 | 09/11/2023 | Copyright antibodies-online. All rights reserved.