

# Datasheet for ABIN1859186 anti-HMOX2 antibody (AA 71-306)

## 2 Images



Go to Product page

( )	ve	V /	-	1 A
	$\cup$	1 \/	-	1/1
$\sim$	' V C	1 V	ı	v v

Quantity:       100 μL         Target:       HMOX2         Binding Specificity:       AA 71-306         Reactivity:       Human         Host:       Rabbit         Clonality:       Polyclonal         Conjugate:       This HMOX2 antibody is un-conjugated         Application:       Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	Target: Binding Specificity:	HMOX2
Binding Specificity: AA 71-306  Reactivity: Human  Host: Rabbit  Clonality: Polyclonal  Conjugate: This HMOX2 antibody is un-conjugated  Application: Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	Binding Specificity:	
Reactivity: Human  Host: Rabbit  Clonality: Polyclonal  Conjugate: This HMOX2 antibody is un-conjugated  Application: Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)		AA 71-306
Host: Rabbit  Clonality: Polyclonal  Conjugate: This HMOX2 antibody is un-conjugated  Application: Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	Reactivity:	
Clonality: Polyclonal  Conjugate: This HMOX2 antibody is un-conjugated  Application: Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)		Human
Conjugate: This HMOX2 antibody is un-conjugated  Application: Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)  Product Details	Host:	Rabbit
Application: Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)  Product Details	Clonality:	Polyclonal
Immunocytochemistry (ICC)  Product Details	Conjugate:	This HMOX2 antibody is un-conjugated
	Application:	
Debute at Antibody to the Horse Commence of Deputing (1990)	Product Details	
Purpose: Polycional Antibody to Heme Oxygenase 2, Decycling (HO2)		
Immunogen: RPA589Hu01Recombinant Heme Oxygenase 2, Decycling (HO2)	Purpose:	Polyclonal Antibody to Heme Oxygenase 2, Decycling (HO2)
Isotype: IgG		
	Immunogen:	RPA589Hu01Recombinant Heme Oxygenase 2, Decycling (HO2)
ability to recognize HUZ in immunonistochemical staining and western biotting.	Immunogen: Isotype:	RPA589Hu01Recombinant Heme Oxygenase 2, Decycling (HO2)
	Immunogen: Isotype: Specificity:	RPA589Hu01Recombinant Heme Oxygenase 2, Decycling (HO2)  IgG  The antibody is a rabbit polyclonal antibody raised against HO2. It has been selected for its
	Immunogen: Isotype: Specificity: Purification:	RPA589Hu01Recombinant Heme Oxygenase 2, Decycling (HO2)  IgG  The antibody is a rabbit polyclonal antibody raised against HO2. It has been selected for its ability to recognize HO2 in immunohistochemical staining and western blotting.

#### **Target Details**


Alternative Name:	Heme Oxygenase 2, Decycling (HMOX2 Products)
Background:	HMOX2
Pathways:	Transition Metal Ion Homeostasis

### **Application Details**

Application Notes:	Western blotting: 0.5-2 μg/mL,lmmunohistochemistry: 5-20 μg/mL,lmmunocytochemistry: 5-20 μg/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only


# Handling

Format:	Liquid	
Concentration:	500 μg/mL	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	



#### **Western Blotting**

Image 1.



#### **Immunohistochemistry**

**Image 2.** Used in DAB staining on fromalin fixed paraffinembedded Kidney tissue