antibodies -online.com







anti-IL12RB2 antibody (AA 455-606)

Images



\sim				
	$ V \cap$	r\/I	19	٨

Overview		
Quantity:	100 μL	
Target:	IL12RB2	
Binding Specificity:	AA 455-606	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This IL12RB2 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	
Product Details		
Immunogen:	IL12Rb2 (Thr455-Arg606)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against IL12Rb2. It has been selected for its ability to recognize IL12Rb2 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography	

Target Details

Target:	IL12RB2	
Alternative Name:	Interleukin 12 Receptor Beta 2 (IL12Rb2) (IL12RB2 Products)	
Background: Alternative Names: IL12R-B2, IL12-RB2, RP11-102M16.1		

Target Details	
Pathways:	JAK-STAT Signaling
Application Details	
Application Notes:	 Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled.
	Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or
	eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a
	physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute
	azide-containing compounds in running water before discarding to avoid accumulation of

potentially explosive deposits in lead or copper plumbing.

Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.

Avoid repeated freeze-thaw cycles.

4°C


12 months

Handling Advice:

Storage Comment:


Storage:

Expiry Date:



Western Blotting

Image 1.



Immunohistochemistry

Image 2. Figure.DAB staining on IHC-P. Samples: Mouse Tissue