## antibodies -online.com





Datasheet for ABIN1859465

## anti-PLA2G6 antibody (AA 481-702)

2 Images



Go to Product page


$\sim$	
( )\/⊝	rview
0 10	VICVV

Background:

Quantity:	100 μL
Target:	PLA2G6
Binding Specificity:	AA 481-702
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PLA2G6 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)
Product Details	
Immunogen:	iPLA2 (Leu481-Val702)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against iPLA2. It has been selected for its ability to recognize iPLA2 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography
Target Details	
Target:	PLA2G6
Alternative Name:	Phospholipase A2, Calcium Independent (iPLA2) (PLA2G6 Products)


Alternative Names: PLA2G6, Cal-PLA2, GVI, INAD1, PNPLA9, Ca2+ Independent PLA2, 85 kDa

	Calcium-Independent Phospholipase A2, Phospholipase A2, group VI(Cytosolic, Calcium-Independent)
Pathways:	Positive Regulation of Peptide Hormone Secretion
Application Details	
Application Notes:	Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37&degC for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
_	
Format:	Liquid
Concentration:	Liquid  Lot specific
Concentration:	Lot specific
Concentration: Buffer:	Lot specific  PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Concentration:  Buffer:  Preservative:	Lot specific  PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.  Sodium azide
Concentration:  Buffer:  Preservative:	Lot specific  PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.  Sodium azide  WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled.
Concentration:  Buffer:  Preservative:	Lot specific  PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.  Sodium azide  WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled.  Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or
Concentration:  Buffer:  Preservative:	Lot specific  PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.  Sodium azide  WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled.  Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a
Concentration:  Buffer:  Preservative:	Lot specific  PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.  Sodium azide  WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled.  Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute
Concentration:  Buffer:  Preservative:	Lot specific  PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.  Sodium azide  WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled.  Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of
Concentration:  Buffer:  Preservative:  Precaution of Use:	Lot specific  PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.  Sodium azide  WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled.  Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.
Concentration:  Buffer:  Preservative:  Precaution of Use:  Handling Advice:	Lot specific  PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.  Sodium azide  WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled.  Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.  Avoid repeated freeze-thaw cycles.



## Western Blotting

Image 1.



## **Immunohistochemistry**

**Image 2.** Used in DAB staining on fromalin fixed paraffinembedded Liver tissue