antibodies -online.com





anti-PSIP1 antibody (AA 311-469)

3 Images



Go to Product page

\sim					
()	VE	۲۱	/1	\triangle	Λ

OVEIVIEW		
Quantity:	100 μL	
Target:	PSIP1	
Binding Specificity:	AA 311-469	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This PSIP1 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	
Product Details		
Immunogen:	LEDGF (Asp311-Glu469)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against LEDGF. It has been selected for its ability to recognize LEDGF in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography	
Target Details		
Target:	PSIP1	
Alternative Name:	Lens Epithelium Derived Growth Factor (LEDGF) (PSIP1 Products)	
Background:	Alternative Names: PSIP1, p75, p52, DFS70, PAIP, PSIP2, PC4 And SFRS1 Interacting Protein 1,	

CLL-associated antigen KW-7, Dense fine speckles 70 kDa protein, Transcriptional coactivator $\rm p75/p52$

Pathways:

Chromatin Binding, Ribonucleoprotein Complex Subunit Organization

Application Details

Application Notes:

Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500
 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.

Comment:


The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Restrictions:

For Research Use only


Handling

Format:	Liquid	
Concentration:	Lot specific	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	4 °C	
Storage Comment:	Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.	
Expiry Date:	12 months	




Western Blotting

Image 1.



Western Blotting

Image 2. Western Blot; Sample: Rat Serum; Primary Ab: 1μg/ml Rabbit Anti-Rat LEDGF Antibody Second Ab: 0.2μg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



Immunohistochemistry

Image 3. Figure.DAB staining on IHC-P. Samples: Rat Tissue