antibodies -online.com










Go to Product page

\sim							
0	۱۱/	Δ	r\	/ I		1/	١.
\cup	v	$\overline{}$	ΙV	1	$\overline{}$	٧	٧

Overview			
Quantity:	100 μL		
Target:	LRP5L		
Binding Specificity:	AA 7-238		
Reactivity:	Human		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This LRP5L antibody is un-conjugated		
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)		
Product Details			
Immunogen:	LRP5L (Trp7-Pro238)		
Isotype:	IgG		
Specificity:	The antibody is a rabbit polyclonal antibody raised against LRP5L. It has been selected for its ability to recognize LRP5L in immunohistochemical staining and western blotting.		
Purification:	Antigen-specific affinity chromatography		
Target Details			
Target:	LRP5L		
Alternative Name:	Low Density Lipoprotein Receptor Related Protein 5 Like Protein (LRP5L) (LRP5L Products)		


Application Details

10 10 10 10 10 10 10 10 10 10 10 10 10 1					
Application Notes:	Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.				
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated				
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious				
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration				
	date under appropriate storage condition.				
Restrictions:	For Research Use only				
Handling					
Format:	Liquid				
Concentration:	Lot specific				
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.				
Preservative:	Sodium azide				
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or				
	eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a				
	physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute				
	azide-containing compounds in running water before discarding to avoid accumulation of				
	potentially explosive deposits in lead or copper plumbing.				
Handling Advice:	: Avoid repeated freeze-thaw cycles.				
Storage:	4 °C				
Storage Comment:	omment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.				
Expiry Date:	12 months				



Western Blotting

Image 1.



Immunohistochemistry

Image 2. DAB staining on IHC-P; Samples: Human Liver Tissue