antibodies -online.com

anti-nectin-3 antibody (AA 90-293)







Images



Go to Product page

_							
0	V	е	r١	/1	е	V	I

Overview			
Quantity:	100 μL		
Target:	nectin-3 (NECTIN3)		
Binding Specificity:	AA 90-293		
Reactivity:	Mouse		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This nectin-3 antibody is un-conjugated		
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)		
Product Details			
Immunogen:	PVRL3 (Ser90-Ala293)		
Isotype:	IgG		
Specificity:	The antibody is a rabbit polyclonal antibody raised against PVRL3. It has been selected for its ability to recognize PVRL3 in immunohistochemical staining and western blotting.		
Purification:	Antigen-specific affinity chromatography		
Target Details			
Target:	nectin-3 (NECTIN3)		
Alternative Name:	Poliovirus Receptor Related Protein 3 (PVRL3) (NECTIN3 Products)		
Background:	Alternative Names: CDw113, CD113, PPR3, PRR3, PVRR3, Nectin-3		

Target Details	
Pathways:	Cell-Cell Junction Organization
Application Details	
Application Notes:	 Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.

Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.

Avoid repeated freeze-thaw cycles.

4°C


12 months

Handling Advice:

Storage Comment:


Storage:

Expiry Date:




Western Blotting

Image 1.



Western Blotting

Image 2. Western Blot; Sample: Rat Testis lysate; Primary Ab: 3μg/ml Rabbit Anti-Mouse PVRL3 Antibody Second Ab: 0.2μg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



Immunohistochemistry

Image 3. DAB staining on IHC-P; Samples: Mouse Testis Tissue

Please check the product details page for more images. Overall 4 images are available for ABIN1860377.