
# antibodies -online.com





# anti-SELENBP1 antibody (AA 46-286)





$C \circ + \circ$	Draduat	nogo
(3() (()	Product	Daue

_					
U	V	er	V	Ie	W

Quantity:	100 μL
Target:	SELENBP1
Binding Specificity:	AA 46-286
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SELENBP1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

#### **Product Details**

Immunogen:	SELENBP1 (Thr46-Ser286)
Isotype:	lgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against SELENBP1. It has been selected for its ability to recognize SELENBP1 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

### **Target Details**

Target:	SELENBP1	
Abstract:	SELENBP1 Products	
Background:	und: Alternative Names: LPSB, SP56, hSBP, hSP56, SBP56, 56 kDa selenium-binding protein	

Target Details	
Pathways:	Brown Fat Cell Differentiation
Application Details	
Application Notes:	<ul> <li>Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500         Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.     </li> </ul>
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37&degC for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled.
	Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or
	eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a
	physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute
	azide-containing compounds in running water before discarding to avoid accumulation of

potentially explosive deposits in lead or copper plumbing.

Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.

Avoid repeated freeze-thaw cycles.

4°C


12 months

Handling Advice:

Storage Comment:


Storage:

Expiry Date:



## **Western Blotting**

Image 1.



#### **Immunohistochemistry**

**Image 2.** Figure.DAB staining on IHC-P. Samples: Human Tissue