## antibodies -online.com





Datasheet for ABIN1862460

## anti-Prothrombin Fragment 1+2 antibody (Biotin)



Go to Product page

$\sim$					
	1/6	⊃r	\/I	$\triangle$	٨/

Quantity:	200 μL	
Target:	Prothrombin Fragment 1+2 (F1+2)	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Prothrombin Fragment 1+2 antibody is conjugated to Biotin	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA	
Product Details		
Immunogen:	The antibody is a rabbit polyclonal antibody raised against F1+2 conjugated to biotin.	
Isotype:	IgG	
Specificity:	It has been selected for its ability to recognize F1+2 in immunohistochemical staining and Western blotting.	
Purification:	Affinity Chromatography	
Target Details		
Target:	Prothrombin Fragment 1+2 (F1+2)	
Abstract:	F1+2 Products	

## **Application Details**

Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions	• •		
Immunohistochemistry in formalin fixed frozen section: 1:100-500 Immunohistochemistry in paraffin section: 1:50-200 Enzyme-linked Immunosorbent Assay: 1:100-200 Optimal working dilutions must be determined by end user.  Restrictions: For Research Use only  Handling  Format: Liquid  Concentration: Lot specific  Buffer: Supplied as solution form in PBS, pH7.4, containing 0.02 % NaN3, 50 % glycerol.  Preservative: Sodium azide  Precaution of Use: WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inha. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions azide-containing compounds in running water before discarding to avoid accumulation apotentially explosive deposits in lead or copper plumbing.  Handling Advice: Avoid repeated freeze/thaw cycles  Storage: 4 °C  Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.	Application Notes:	Western blotting: 1:100-400	
Immunohistochemistry in paraffin section: 1:50-200 Enzyme-linked Immunosorbent Assay: 1:100-200 Optimal working dilutions must be determined by end user.  Restrictions:  For Research Use only  Handling  Format:  Liquid  Concentration:  Lot specific  Supplied as solution form in PBS, pH7.4, containing 0.02 % NaN3, 50 % glycerol.  Preservative:  Sodium azide  Precaution of Use:  WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhance Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions azide-containing compounds in running water before discarding to avoid accumulation apotentially explosive deposits in lead or copper plumbing.  Handling Advice:  Avoid repeated freeze/thaw cycles  Storage:  4 °C  Storage Comment:  Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.		Immunocytochemistry in formalin fixed cells: 1:100-500	
Enzyme-linked Immunosorbent Assay: 1:100-200 Optimal working dilutions must be determined by end user.  For Research Use only  Handling  Format: Liquid  Concentration: Lot specific  Buffer: Supplied as solution form in PBS, pH7.4, containing 0.02 % NaN3, 50 % glycerol.  Preservative: Sodium azide  Precaution of Use: WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled contact with skin, eyes, or clothing. Wear eye or face protection when handling. If eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.  Handling Advice: Avoid repeated freeze/thaw cycles  Storage: 4 °C  Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.		Immunohistochemistry in formalin fixed frozen section: 1:100-500	
Optimal working dilutions must be determined by end user.  For Research Use only  Handling  Format: Liquid  Concentration: Lot specific  Buffer: Supplied as solution form in PBS, pH7.4, containing 0.02 % NaN3, 50 % glycerol.  Preservative: Sodium azide  Precaution of Use: WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inha Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions azide-containing compounds in running water before discarding to avoid accumulation opotentially explosive deposits in lead or copper plumbing.  Handling Advice: Avoid repeated freeze/thaw cycles  Storage: 4 °C  Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.		Immunohistochemistry in paraffin section: 1:50-200	
Restrictions:  For Research Use only  Handling  Format:  Liquid  Concentration:  Lot specific  Buffer:  Supplied as solution form in PBS, pH7.4, containing 0.02 % NaN3, 50 % glycerol.  Preservative:  Sodium azide  Precaution of Use:  WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhard Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.  Handling Advice:  Avoid repeated freeze/thaw cycles  Storage:  4 °C  Storage Comment:  Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.		Enzyme-linked Immunosorbent Assay: 1:100-200	
Format:  Liquid  Concentration:  Lot specific  Buffer:  Supplied as solution form in PBS, pH7.4, containing 0.02 % NaN3, 50 % glycerol.  Preservative:  Sodium azide  Precaution of Use:  WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaladion and contact with skin, eyes, or clothing. Wear eye or face protection when handling. If eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions azide-containing compounds in running water before discarding to avoid accumulation optentially explosive deposits in lead or copper plumbing.  Handling Advice:  Avoid repeated freeze/thaw cycles  Storage:  4 °C  Storage Comment:  Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.		Optimal working dilutions must be determined by end user.	
Format: Liquid  Concentration: Lot specific  Buffer: Supplied as solution form in PBS, pH7.4, containing 0.02 % NaN3, 50 % glycerol.  Preservative: Sodium azide  Precaution of Use: WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inha Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions azide-containing compounds in running water before discarding to avoid accumulation opotentially explosive deposits in lead or copper plumbing.  Handling Advice: Avoid repeated freeze/thaw cycles  Storage: 4 °C  Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.	Restrictions:	For Research Use only	
Concentration:  Lot specific  Supplied as solution form in PBS, pH7.4, containing 0.02 % NaN3, 50 % glycerol.  Preservative:  Sodium azide  WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhe Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.  Handling Advice:  Avoid repeated freeze/thaw cycles  Storage:  4 °C  Storage Comment:  Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.	Handling		
Buffer: Supplied as solution form in PBS, pH7.4, containing 0.02 % NaN3, 50 % glycerol.  Preservative: Sodium azide  WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled, contact with skin, eyes, or clothing. Wear eye or face protection when handling. If eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.  Handling Advice: Avoid repeated freeze/thaw cycles  Storage: 4 °C  Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.	Format:	Liquid	
Preservative: Sodium azide  WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions azide-containing compounds in running water before discarding to avoid accumulation opotentially explosive deposits in lead or copper plumbing.  Handling Advice: Avoid repeated freeze/thaw cycles  Storage: 4 °C  Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.	Concentration:	Lot specific	
Precaution of Use:  WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.  Handling Advice:  Avoid repeated freeze/thaw cycles  Storage:  4 °C  Storage Comment:  Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.	Buffer:	Supplied as solution form in PBS, pH7.4, containing 0.02 % NaN3, 50 % glycerol.	
Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.  Handling Advice:  Avoid repeated freeze/thaw cycles  Storage:  4 °C  Storage Comment:  Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.	Preservative:	Sodium azide	
eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions azide-containing compounds in running water before discarding to avoid accumulation opotentially explosive deposits in lead or copper plumbing.  Handling Advice:  Avoid repeated freeze/thaw cycles  Storage:  4 °C  Storage Comment:  Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.	Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled.	
physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.  Handling Advice: Avoid repeated freeze/thaw cycles  Storage: 4 °C  Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.		Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or	
azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.  Handling Advice: Avoid repeated freeze/thaw cycles  Storage: 4 °C  Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.		eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a	
potentially explosive deposits in lead or copper plumbing.  Handling Advice: Avoid repeated freeze/thaw cycles  Storage: 4 °C  Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.		physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute	
Handling Advice: Avoid repeated freeze/thaw cycles  Storage: 4 °C  Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.		azide-containing compounds in running water before discarding to avoid accumulation of	
Storage: 4 °C  Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.		potentially explosive deposits in lead or copper plumbing.	
Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.	Handling Advice:	Avoid repeated freeze/thaw cycles	
	Storage:	4 °C	
Expiry Date: 12 months	Storage Comment:	Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.	
	Expiry Date:	12 months	