ANTIBODIES ONLINE

Datasheet for ABIN1862957 anti-MUC5B antibody (FITC)

Image



Overview

1

Quantity:	200 µL
Target:	MUC5B
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MUC5B antibody is conjugated to FITC
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunofluorescence (IF)

Product Details

Immunogen:	The antibody is a rabbit polyclonal antibody raised against MUC5B conjugated to fitc.
Isotype:	lgG
Specificity:	It has been selected for its ability to recognize MUC5B in immunohistochemical staining and Western blotting.
Purification:	Affinity Chromatography

Target Details

Target:	MUC5B
Alternative Name:	Mucin 5 Subtype B (MUC5B Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN1862957 | 07/26/2024 | Copyright antibodies-online. All rights reserved.


Application Details

Restrictions:	For Research Use only
	Optimal working dilutions must be determined by end user.
	Enzyme-linked Immunosorbent Assay: 1:100-200
	Immunohistochemistry in paraffin section: 1:50-200
	Immunohistochemistry in formalin fixed frozen section: 1:100-500
	Immunocytochemistry in formalin fixed cells: 1:100-500
Application Notes:	Western blotting: 1:100-400

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Supplied as solution form in PBS, pH7.4, containing 0.02 % NaN3, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.
Handling Advice:	Avoid repeated freeze/thaw cycles
Storage:	4 °C
Storage Comment:	Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.
Expiry Date:	12 months

Images



Western Blotting

Image 1.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN1862957 | 07/26/2024 | Copyright antibodies-online. All rights reserved.