antibodies.com

# Datasheet for ABIN1866962 anti-C1QTNF1 antibody (AA 26-281)

2 Images



#### Overview

Quantity:	100 μL	
Target:	C1QTNF1	
Binding Specificity:	AA 26-281	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This C1QTNF1 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	

## Product Details

Immunogen:	C1QTNF1 (Arg26-Pro281)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against C1QTNF1. It has been selected for its ability to recognize C1QTNF1 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

### Target Details

Target:	C1QTNF1	
Alternative Name:	C1q And Tumor Necrosis Factor Related Protein 1 (C1QTNF1 Products)	
Background:	Alternative Names: GIP, CTRP1, ZSIG37, G Protein Coupled Receptor Interacting Protein	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN1866962 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Application Details		
Application Notes:	<ul> <li>Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.</li> </ul>	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37&degC for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	Lot specific	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	4 °C	
Storage Comment:	Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.	
Expiry Date:	12 months	

Western Blot				
kDa 70		←59kDa		
44		- JakDa		
33				
26				
22				
18				
14				
10				

Western Bl	otting
------------	--------

**Image 1.** Figure. Western Blot; Sample: Recombinant protein.

#### Immunohistochemistry

Image 2. Figure.DAB staining on IHC-P. Samples: Human Tissue

