# antibodies - online.com







## anti-Cdc25 antibody (AA 376-524)





| $\sim$ |       |
|--------|-------|
| ( )\/⊝ | rview |
| 0 10   | VICVV |


Background:

| Quantity:               | 100 μL                                                                                                                                                                           |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Target:                 | Cdc25 (CDC25)                                                                                                                                                                    |
| Binding Specificity:    | AA 376-524                                                                                                                                                                       |
| Reactivity:             | Human                                                                                                                                                                            |
| Host:                   | Rabbit                                                                                                                                                                           |
| Clonality:              | Polyclonal                                                                                                                                                                       |
| Conjugate:              | This Cdc25 antibody is un-conjugated                                                                                                                                             |
| Application:            | Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)                                                                                                     |
| Product Details         |                                                                                                                                                                                  |
| Immunogen:              | CDC25 (Leu376-Leu524)                                                                                                                                                            |
| Isotype:                | IgG                                                                                                                                                                              |
| Specificity:            | The antibody is a rabbit polyclonal antibody raised against CDC25. It has been selected for its ability to recognize CDC25 in immunohistochemical staining and western blotting. |
| Purification:           | Antigen-specific affinity chromatography                                                                                                                                         |
|                         |                                                                                                                                                                                  |
| Target Details          |                                                                                                                                                                                  |
| Target Details  Target: | Cdc25 (CDC25)                                                                                                                                                                    |
|                         | Cdc25 (CDC25)  Cell Division Cycle Protein 25 (CDC25 Products)                                                                                                                   |

Alternative Names: CDC25A, CDC25A2, M-phase inducer phosphatase 1


### **Application Details**

| 10 10 10 10 10 10 10 10 10 10 10 10 10 1 |                                                                                                                                                                                                                                                                                                               |
|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Application Notes:                       | Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user. |
| Comment:                                 | The thermal stability is described by the loss rate. The loss rate was determined by accelerated                                                                                                                                                                                                              |
|                                          | thermal degradation test, that is, incubate the protein at 37&degC for 48h, and no obvious                                                                                                                                                                                                                    |
|                                          | degradation and precipitation were observed. The loss rate is less than 5% within the expiration                                                                                                                                                                                                              |
|                                          | date under appropriate storage condition.                                                                                                                                                                                                                                                                     |
| Restrictions:                            | For Research Use only                                                                                                                                                                                                                                                                                         |
| Handling                                 |                                                                                                                                                                                                                                                                                                               |
| Format:                                  | Liquid                                                                                                                                                                                                                                                                                                        |
| Concentration:                           | Lot specific                                                                                                                                                                                                                                                                                                  |
| Buffer:                                  | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.                                                                                                                                                                                                                                                   |
| Preservative:                            | Sodium azide                                                                                                                                                                                                                                                                                                  |
| Precaution of Use:                       | WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled.  Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or                                                                                                                 |
|                                          | eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a                                                                                                                                                                                                                     |
|                                          | physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute                                                                                                                                                                                                               |
|                                          | azide-containing compounds in running water before discarding to avoid accumulation of                                                                                                                                                                                                                        |
|                                          | potentially explosive deposits in lead or copper plumbing.                                                                                                                                                                                                                                                    |
| Handling Advice:                         | Avoid repeated freeze-thaw cycles.                                                                                                                                                                                                                                                                            |
| Storage:                                 | 4 °C                                                                                                                                                                                                                                                                                                          |
| Storage Comment:                         | Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.                                                                                                                                                                                                                                     |
| Expiry Date:                             | 12 months                                                                                                                                                                                                                                                                                                     |
|                                          |                                                                                                                                                                                                                                                                                                               |



#### **Western Blotting**

Image 1.



#### **Immunohistochemistry**

**Image 2.** Used in DAB staining on fromalin fixed paraffinembedded testis tissue