antibodies.com

# Datasheet for ABIN1867566 anti-DIDO1 antibody (AA 258-455)

3 Images



## Overview

Quantity:	100 µL
Target:	DID01
Binding Specificity:	AA 258-455
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DIDO1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

## Product Details

Immunogen:	DIDO1 (Lys258-Cys455)
Isotype:	lgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against DID01. It has been selected for its ability to recognize DID01 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography


## Target Details

Target:	DID01
Alternative Name:	Death Inducer Obliterator 1 (DIDO1 Products)
Background:	Alternative Names: BYE1, DATF1, DIDO2, DIDO3, DIO1, Death Associated Transcription Factor 1

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN1867566 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
Pathways:	Hormone Activity
Application Details	
Application Notes:	<ul> <li>Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.</li> </ul>
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37&degC for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	4 °C
Storage Comment:	Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.
Expiry Date:	12 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN1867566 | 09/11/2023 | Copyright antibodies-online. All rights reserved.




### Western Blotting

**Image 1.** Western Blot; Sample: Human Lung lysate; Primary Ab: 1µg/ml Rabbit Anti-Human DIDO1 Antibody Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)

### Western Blotting

**Image 2.** Figure. Western Blot; Sample: Recombinant protein.



### Immunohistochemistry

**Image 3.** Used in DAB staining on fromalin fixed paraffinembedded liver tissue

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN1867566 | 09/11/2023 | Copyright antibodies-online. All rights reserved.