
antibodies -online.com







Images



Go to Product page

\sim							
	1//	\Box	$r \setminus$	/ [\bigcirc	1	٨,

OVERVIEW		
Quantity:	100 μL	
Target:	MPP3	
Binding Specificity:	AA 627-802	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This MPP3 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	
Product Details		
Immunogen:	DLG3 (Ala627-Glu802)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against DLG3. It has been selected for its ability to recognize DLG3 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography	
Target Details		
Target:	MPP3	
Alternative Name:	Discs, Large Homolog 3 (MPP3 Products)	
Background:	Alternative Names: MRX, XLMR, MRX90, NE-Dlg, NEDLG, SAP102, Neuroendocrine-Dlg,	

Synapse-associated protein 103	Synapse Synapse	-associated	protein	102
--------------------------------	-----------------	-------------	---------	-----

Application Details	
Application Notes:	 Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute

potentially explosive deposits in lead or copper plumbing.


Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: 4 °C

Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.


Expiry Date: 12 months

azide-containing compounds in running water before discarding to avoid accumulation of




Western Blotting

Image 1. Western Blot; Sample: Rat Cerebrum lysate; Primary Ab: 2μg/ml Rabbit Anti-Human DLG3 Antibody Second Ab: 0.2μg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



Western Blotting

Image 2. Figure. Western Blot; Sample: Recombinant protein.



Immunohistochemistry

Image 3. Figure.DAB staining on IHC-P. Samples: Human Tissue